

Recurrent random network with excitatory and inhibitory Leaky Integrate-and-Fire neurons with current-based synapses from the paper “Comparison of the dynamics of neural interactions between current-based and conductance-based integrate-and-fire recurrent networks” written by S.Cavallari, S.Panzeri and A.Mazzoni and published in Frontiers in Neural Circuits (2014), 8:12. doi:10.3389/fncir.2014.00012. The paper compares the activity of this current-based network (i.e. code\_CUBN.c) with the activity of a comparable network of LIF neurons with conductance-based synapses (whose source code is in the “LIF\_COBN” folder).

The function code\_CUBN.c is a mex source code. You have to compile this routine in Matlab to generate the mex file (e.g.: code\_CUBN.mexw64). Note that you have to include the functions ran1.c and gasdev.c in the compiling instruction in the Matlab workspace, in the following way:

```
mex code_CUBN.c ran1.c gasdev.c
```

After you compiled the function, you can call it as specified in the help. For more information use the help of the function (and see the example below):

```
help code_CUBN
```

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

In the following an easy example for setting the arguments to generate the data used in figures 4I; 7 (i.e. LFP) and 6A (i.e. average firing rate) once you compiled the mex file.

In the Matlab workspace:

1. parameters\_CUBN; % to generate the structure net\_CUBN with all the parameters of the network
2. simulation\_length = 4500; % units: (ms)
3. M = simulation\_length/net\_CUBN.Dt; % length of the simulation in time steps
4. external\_signal\_intensity = 2; % units: (spikes/ms)/cell
5. external\_signal = ones(M,1) \* external\_signal\_intensity \* net\_CUBN.Dt;
6. SEED\_OU = 1; % positive integer number
7. external\_noise = OU\_process(M, net\_CUBN.Dt, 16, 0.16\*net\_CUBN.Dt, SEED\_OU);
8. INPUT2E = external\_signal + external\_noise;
9. INPUT2I = INPUT2E;
10. SEED\_connections = 2; % positive integer number
11. SEED\_poisson = 3; % positive integer number
12. [E2EI,I2EI,eFR,iFR] = code\_CUBN(net\_CUBN, INPUT2E, INPUT2I, SEED\_connections, SEED\_poisson);

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

Question on how to use the model should be addressed to [ste.cavallari@gmail.com](mailto:ste.cavallari@gmail.com)

Please cite the paper if you use the code.